UK VFR Flight Guide 2026 Amendments

Page 38 LARS Map — AIP 05/26

Plymouth East	**DELETE** 124.150 **ADD** 124.155
Plymouth West	**DELETE** 124.225 **ADD** 124.255
DELETE All Leuchars refs	

Page 38 LARS Text — AIP 05/26

Plymouth East	**DELETE** 124.150 **ADD** 124.155
DELETE All Leuchars refs	

Page 56 FMC Text — AIP 05/26, 06/26

Bristol FMC	**DELETE** 125.650 **ADD** 125.655
Belfast Aldergrove FMC	**DELETE** 133.125 **ADD** 133.130
Belfast City FMC	**DELETE** 130.850 **ADD** 130.855

Page 57 FMC Map — AIP 05/26, 06/26

Bristol FMC	**DELETE** 125.650 **ADD** 125.655
Belfast Aldergrove FMC	**DELETE** 133.125 **ADD** 133.130
Belfast City FMC	**DELETE** 130.850 **ADD** 130.855

ABERDEEN — AIP 13/25, 04/26, OP 08/26

Location	**ADD** SAN
Map	Rwy16 QDM **DELETE** 159°M **ADD** 158°M
	Rwy23H QDM **DELETE** 227°M **ADD** 226°M
	Rwy32H QDM **DELETE** 320°M **ADD** 319°M
	Rwy34 QDM **DELETE** 339°M **ADD** 338°M
	Rwy14H QDM **DELETE** 140°M **ADD** 139°M
	Rwy05H QDM **DELETE** 047°M **ADD** 046°M
	Rwy36H QDM **DELETE** 000°M **ADD** 359°M
	Rwy36H **DELETE** 581m x 36m **ADD** 260m x 36m
	Rwy36H **DELETE** Thr after Rwy16 intersection **ADD** Twy
	Rwy36H **ADD** Thr at intersection of Rwy16
Declared Distances	Rwy36 **DELETE** 581x36 **ADD** 260x36
Handling	**DELETE** All
	ADD Primeflight Tel: 01224 348517 Tel: 07791 973108 abzops@primeflight.com

ALDERNEY — OP 08/26

Operator	**ADD** atc@gov.gg

AUDLEY END — OP 02/26

Operator	**ADD** www.vintagefabrics.co.uk/airfield

BADMINTON — ED 04/26

Frequencies	FMC **DELETE** 125.650 **ADD** 125.655

BAKERSFIELD — OP 09/26

Location	**ADD** SAN

BALADO — ED 09/26

Frequencies	**DELETE** LARS Leuchars 126.505

BAKERSFIELD — OP 09/26

Location	**ADD** SAN

BALTASOUND — OP 05/26, 08/26

Location	**ADD** SAN
Map	Rwy12/30 **DELETE** 640m x 28m **ADD** 641m x 28m
Remarks	**ADD** AD located within EGD902C, SFC-UNL activated by NOTAM.
Warnings	**ADD** Met ballons released on AD, notified by NOTAM
	DELETE Rising GND dep Rwy30. **ADD** Rising GND Rwy30 dept. High GND to 350ft AMSL 1nm S of AD. Mast 492ft Lit - 017°/1.9nm from AD
Circuits	**DELETE** All **ADD** To N 1010ft QNH 1000ft QFE
Operator	**DELETE** info@shetlandspacecentre.com **ADD** rangeops@shetlandspacecentre.com

BARKSTON HEATH — MAIP 13/25, 09/26

Operating Hrs	**DELETE** All **ADD** Available with PPR
Circuits	Rwy18 **DELETE** LH **ADD** RH
	Rwy36 **DELETE** RH **ADD** LH

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.

BARRA AIP 04/26

Map	Rwy11 QDM **DELETE** 104°M **ADD** 103°M
	Rwy15 QDM **DELETE** 143°M **ADD** 142°M
	Rwy07 QDM **DELETE** 069°M **ADD** 068°M
	Rwy25 QDM **DELETE** 249°M **ADD** 248°M
	Rwy29 QDM **DELETE** 284°M **ADD** 283°M
	Rwy33 QDM **DELETE** 323°M **ADD** 322°M

BAXBY OP 03/26

Operator	**DELETE** flying@baxbyairsports.co.uk **ADD** flying@baxbyairsportsclub.co.uk
	DELETE www.baxbyairsports.co.uk **ADD** www.baxbyairsportsclub.co.uk

BEECHES FARM OP 12/25

Location	**ADD** SAN
Frequencies	LARS **DELETE** 127.350 **ADD** 119.505

BELFAST ALDERGROVE AIP 05/26, 06/26

Frequencies	APP **DELETE** 133.125 **ADD** 133.130
	TWR **DELETE** 118.300 **ADD** 118.305
	FMC **DELETE** 133.125 **ADD** 133.130
Map	Rwy07 QDM **DELETE** 067°M **ADD** 066°M
	Rwy17 QDM **DELETE** 164°M **ADD** 163°M
	Rwy25 QDM **DELETE** 247°M **ADD** 246°M
	Rwy35 QDM **DELETE** 344°M **ADD** 343°M

BELFAST CITY AIP 04/26, 05/26, 06/26

Frequencies	APP **DELETE** 130.850 **ADD** 130.855
	RAD **DELETE** 134.800 **ADD** 134.805
	FMC **DELETE** 130.850 **ADD** 130.855
Map	**DELETE** Hold R
	ADD Disused Twy where Hold R was located
	Rwy04 QDM **DELETE** 037°M **ADD** 036°M
	Rwy22 QDM **DELETE** 217°M **ADD** 216°M

BENBECULA AIP 10/26

Map	**DELETE** windsock by disused area above Rwy06/24

BENSON MAIP 08/26, 10/26

Frequencies	**ADD** ALL 134.035
Operating Hrs	**DELETE** All **ADD** Mon-Fri 0900-1700(L)
	ADD Night Flying Mon-Thu 1700-0300 (L)

BERROW OP 03/26

Fuel	**ADD** AVGAS, JET A1, Electric

BIDFORD OP 07/26

Operator	**DELETE** bidfordglidingandflyingclub@hotmail.co.uk **ADD** office@bgfc.uk

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.

BIGGIN HILL AIP 04/26

Frequencies
APP **DELETE** 129.405 **ADD** 134.805
ADD GND 121.630
ATIS **DELETE** (dept)

Map
Rwy03 QDM **DELETE** 025°M **ADD** 024°M
Rwy21 QDM **DELETE** 205°M **ADD** 204°M

Noise
ADD
1 All VFR Noise Dept Turns are based from the ARP
2 London Biggin Hill Airport located close to densely populated and largely residential areas. In order to support extended op hrs that include night time ACFT ops, compliance with NPRs is required and is enforced by a Noise Monitoring and Track Keeping System (NMTKS).
3 ACFT failing to comply with NPRs and/or noise limits may be subject to additional charges as set out in the London Biggin Hill Airport Schedule of Fees and Charges. As with other London airports, frequent or repeated noise and/or track violations may result in a permanent exclusion from the AD
4 Calibrated Noise Monitors are located approximately 1 KM from the Rwy Thr and lie directly under the APP/Dep path. Additionally, a mobile noise monitor may be positioned anywhere from time to time deemed appropriate by the AD operator. Noise Sensitive Areas (NSAs) over Keston, Downe, Farnborough and Orpington are programmed into the NMTKS along with minimum heights set at each noise monitor.

VFR Dept Routes
DELETE All **ADD**
Rwy21 Dept
1 All ACFT Dept Rwy21 VFR are required to turn right, after passing AD boundary, to track 220°M
2 ACFT Dept to W via Kenley should continue to 1nm, before turning right and setting course, avoiding Woldingham & Warlingham;
3 ACFT Dept to E or NE via Sevenoaks or Swanley should continue to 2nm before turning left and tracking to the SE, remaining S and E of Tatsfield. A useful visual reference for the turn is to remain S of the Tatsfield golf course;
4 Once ACFT has left the ATZ, it should not re-enter the ATZ without the appropriate ATC clearance. ACFT intending to route to via Swanley should ensure that they arrange their flight in order to avoid the E limits of the ATZ whilst tracking NE. **Caution** – there may be numerous ACFT joining from the E
Rwy03 Dept
1 All ACFT Dept Rwy03 VFR are required to climb straight ahead until 1nm
2 Single Engined Piston ACFT dept to W via Kenley to make a left turn at 1nm en-route to leave the ATZ;
3 Jet, Turbo-Prop and Twin-Engine ACFT dept to W via Kenley to turn Left not before 1nm en-route to leave the ATZ;
4 ACFT dept E or SE via Sevenoaks or NE via Swanley, to turn Right at 1nm to leave the ATZ en-route. **Caution** – there may be numerous VFR ACFT joining from the E
5 ACFT dept to N, continue en-route but avoiding overflight of the Noise Sensitive Areas of Orpington & Chelsfield. Expect an early frequency change to the next agency, due to the close proximity of London Heathrow and London City CTAs;
6 All pilots must in all cases avoid overflight of the residential areas to the north and east especially Keston, Farnborough, Orpington & Downe.

BIRMINGHAM AIP 05/26

Map
Rwy15 QDM **DELETE** 146°M **ADD** 145°M
Rwy33 QDM **DELETE** 326°M **ADD** 325°M

BLACKBUSHE AIP 13/25, 04/26

Map
DELETE windsock by Hold W
ADD Twy F disused
ADD Bravo Apron on section of Twy next to Disused Twy and Hold F
ADD Disused edge to Apron next to car park & Hold H
DELETE HTA 2
ADD Twy E realign to intersect with Twy D halfway down Twy
ADD disused Twy on old part of Twy E
Hold D **RENAME** Hold D1
ADD Hold D2 on Twy D at the intersection of Twy E with Twy D
ADD Hold E2 on Twy E at the intersection of Twy D
Twy E after the Twy D intersection **RENAME** Twy F
ADD Hold D3 on Twy D at the intersection of Twy F
Hold E2 **RENAME** Hold F

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.

BLACKPOOL AIP 04/26, 09/26

Map
Rwy13 QDM **DELETE** 128°M **ADD** 127°M
Rwy31 QDM **DELETE** 308°M **ADD** 307°M
MOVE C to terminal building on main apron

BOGNOR OP 12/25

Map
Rwy05/23 **RENAME** Rwy04/22
Rwy05G/23G **RENAME** Rwy0G4/22G
Rwy04G/22G **DELETE** 850m **ADD** 830m
Rwy02/20 **RENAME** Rwy03/21
Rwy03/21 **DELETE** Asphalt **ADD** Grass
Rwy03/21 **DELETE** 850m x 30m **ADD** 750m x 30m
Rwy03/21 **RENAME** Rwy02/20
Rwy02/20 **DELETE** 580m x 30m **ADD** 600m x 30

Declared Distances
DELETE All **ADD**

RWY	SURFACE	TORA	LDA	U/L	LIGHTING
04/22	Asphalt			610x18	Nil
04/22	Grass			830x30	Nil
01/19	Grass			400x30	Nil
03/21	Grass			750x30	Nil
02/20	Grass			600x30	Nil

BOURNEMOUTH AIP 05/26, 09/26

Map
Rwy08 QDM **DELETE** 075°M **ADD** 074°M
Rwy26 QDM **DELETE** 255°M **ADD** 254°M
ADD Apron Zulu on area between Gama Aviation hangar & Twy N

BOVINGDON OP 06/26

Location
ADD SAN

BOWLDOWN OP 07/26

Location
ADD SAN

BRISTOL AIP 05/26, 08/26

Map
Rwy09 QDM **DELETE** 087°M **ADD** 086°M
Rwy27 QDM **DELETE** 267°M **ADD** 266°M
HS1 text **DELETE** 25 **ADD** 26R

Frequencies
DELETE DEL
RAD **DELETE** 125.650 **ADD** 125.655
TWR **DELETE** 133.850 **ADD** 133.855
FMC **DELETE** 125.650 **ADD** 125.655

BROWN SHUTTERS ED 04/26

Frequencies
FMC **DELETE** 125.650 **ADD** 125.655

CAMBRIDGE AIP 01/26

Map
Rwy05 QDM **DELETE** 049°M **ADD** 048°M
Rwy23 QDM **DELETE** 229°M **ADD** 228°M

CAMPBELTOWN AIP 04/26

Map
Rwy11 QDM **DELETE** 108°M **ADD** 107°M
Rwy29 QDM **DELETE** 288°M **ADD** 287°M

CARDIFF AIP 05/26

Handling
DELETE Tel: 01446 712637 (Signature)
ADD cwl@globaltrekaviation.com.

CARK OP 06/26

Location
ADD SAN

CARLISLE OP 08/26

Map
DELETE Twy A **ADD** disused Twy
DELETE Hold A

Maintenance
DELETE Northumberland Aircraft Maintenance **Tel:** 01228 573990
ADD Nil

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.

CHARLTON PARK OP 08/26

Frequencies	A/G **DELETE** 122.225 **ADD** 122.215
Operator	**ADD** www.charltonpark.estate/activities/airfield/

CHARMY DOWN ED 04/26, OP 06/26

Location	**ADD** SAN
Frequencies	Bristol RAD **DELETE** 125.650 **ADD** 125.655 FMC **DELETE** 125.650 **ADD** 125.655

CHATTERIS OP 03/26

Location	**ADD** SAN
Operator	**DELETE** All **ADD** Martin Crossley, Chatteris Airfield, Block Fen Drove, Wimblington, March, Cambs PE15 0FB **ADD** Tel: 07747 032025 **ADD** martin@ukskydiving.com **ADD** www.chatterisairfield.co.uk

CHICHESTER GOODWOOD AIP 04/26

Frequencies	**DELETE** AFIS **ADD** AFIS & A/G

CHILBOLTON OP 04/26

Circuits	**DELETE** All circuits S 1100ft QNH 800ft QFE
Circuit map	GA circuit **DELETE** 600ft QFE x 2

CLENCH COMMON ED 01/25

Location	**DELETE** N5123.37 W00143.94 **ADD** N5123.25 W00144.00

COMPTON ABBAS AIP 07/26

Fuel	**DELETE** UL91 **ADD** UL94

COVENTRY OP 05/26

DELETE entry, AD Close 11/06/2026

CRAIL ED 09/26

Frequencies	**DELETE** LARS Leuchars 126.505

CRANFIELD AIP 13/25, 02/26

Map	Rwy03 QDM **DELETE** 032°M **ADD** 031°M Rwy21 QDM **DELETE** 212°M **ADD** 211°M
Operating Hrs	**DELETE** All **ADD** Mon-Sun 0530-1800 (Summer) + 1Hr (Winter) inc PH

DARLEY MOOR OP 12/25

Location	**ADD** SAN

DENHAM ED 07/26

Circuit & Noise Map	Denham LFA **DELETE** 1000ft **ADD** 1200ft

DORNOCH OP 01/25, 03/26

PPR	**DELETE** Tel
Frequencies	**DELETE** Non-Radio **DELETE** Safetycom 135.480
Map	Rwy10/28 **DELETE** 830m **ADD** 930m **DELETE** track to Rwy28 Thr **ADD** track from track adjacent to Rwy28 Thr towards windsock, turn left past windsock to exit AD boundary across field
Declared Distances	**DELETE** 830 **ADD** 930
Warnings	**DELETE** Landing strip is marked by 3ft high posts 90m either side of Rwy centreline and across ends.
Disabled Facilities	**DELETE** Nil **ADD** 1 3 4 5
Fuel	**DELETE** AVGAS
Restaurants	**DELETE** Royal Golf Hotel Tel: 01862 810283
Taxi	**DELETE** All **ADD** Nil
Operator	**DELETE** Aerodrome Road **ADD** Airfield Road

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.

DUNDEE AIP 04/26, 09/26

Frequencies	**DELETE** LARS Leuchars 126.505
Map	Rwy09 QDM **DELETE** 092°M **ADD** 091°M
	Rwy27 QDM **DELETE** 272°M **ADD** 271°M
Warnings	**DELETE** AD is in the vicinity of Leuchars MATZ

DUNKESWELL AIP 02/26, OP 03/26

Map	**MOVE** para symbol to right of water oblong
	ADD DME near AD boundary at N5051.31 W00314.26
	ADD DFO 110.850
Declared Distances	Rwy04/22 TORA **DELETE** 968 **ADD** 967
Restaurants	**DELETE** All
	ADD The Liberator Coffee Bar & Grill
	ADD Tel: 01404 623241
	ADD theliberator22@outlook.com

DUXFORD OP 08/26

Map	Rwy06L24R **DELETE** 882m x 25m **ADD** 1020m x25m
	DELETE Displaced Thr Rwy24R
	DELETE Displaced Thr Rwy06L
Declared Distances	Rwy06L/24R TORA & LDA **DELETE** 880 **ADD** 1020
	DELETE Displaced Thr Rwy24R

EAGLESCOTT OP 03/26

Operator	**DELETE** Tel: 01769 520404
	ADD Tel: 0750 307 2020

EARLS COLNE AIP 04/26

Elevation	**DELETE** 227ft **ADD** 229ft
Map	Rw06/24 Grass **DELETE** 939m x 30m **ADD** 926m x 32m
	ADD Rwy06/24 Asphalt insert 769m x 10m
	Northern Twy **RENAME** Twy C
	ADD Twy A on Twy with Hold A
	ADD Twy B on Twy from Rwy24 Asphalt Thr to Apron
	ADD Twy B on Twy with Hold B
	ADD HS1 around the Rwy06 end of Twy c
	ADD HS2 around the Jct of Twy A and apron
	ADD HS1 & HS 2 Taxying proximity to boundary hedges
	may present a wingtip hazard
	ADD extend grass parking area & tie down points in front of and to right of hangars adjacent to Twy B
Declared Distances	Rwy06/24 LDA **DELETE** 778 **ADD** 775

EAST KIRKBY OP 07/26

Operator	**DELETE** info@lincsaviation.co.uk **ADD** enquires@lincsaviation.co.uk

EAST MIDLANDS AIP 05/26, 08/26

Map	Rwy09 QDM **DELETE** 088°M **ADD** 087°M
	Rwy27 QDM **DELETE** 268°M **ADD** 267°M
	Twy K **RENAME** TXL K
	Twy N **RENAME** TXL N
	Twy CA **RENAME** TXL CA
	Twy C **RENAME** TXL C
	Twy T **RENAME** TXL T
	Twy D **RENAME** TXL D
	Twy B **RENAME** TXL B
	Twy J **RENAME** TXL J
	Twy MA **RENAME** TXL MA

EDAY AIP 04/26

Map	**ADD** Extend GA apron
Remarks	**DELETE** No flights permitted within 15 mins of the Loganair scheduled service.
Operator	**DELETE** developmentsandinfrastructure@orkney.gov.uk **ADD** airfields@orkney.gov.uk
	DELETE www.orkney.gov.uk
	ADD www.orkney.gov.uk/our-services/transport/internal-air-services/airfields

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.

EDINBURGH AIP 05/26

Map	Rwy06 QDM **DELETE** 060°M **ADD** 059°M
	Rwy24 QDM **DELETE** 240°M **ADD** 239°M
	ADD Midfield Apron above Twy G

ENSTONE OP 03/26, 06/26

	ADD Enstone North Airfield
	ADD Northside Grass Rwy is operated separately from Enstone airfield, managed by the maintenance facility
	ADD No PPR. No landing Fees. AVGAS available
	ADD Tel: 07794 602320 enstonehangar@hotmail.com
Landing Fee	Single **DELETE** £12.50 **ADD** £15
	Multiple landings (Single) **DELETE** £35 **ADD** £40

ERROL ED 09/26

Frequencies	**DELETE** LARS Leuchars 126.505
Remarks	**DELETE** Leuchars APP &
Warnings	**DELETE** AD located close to Leuchars MATZ

EXETER AIP 05/26

Map	Rwy08 QDM **DELETE** 077°M **ADD** 076°M
	Rwy26 QDM **DELETE** 257°M **ADD** 256°M

FADMOOR OP 06/26

DELETE entry, AD closed

FAIRFORD MAIP 01/26, 07/26

Map	**ADD** Disused on Twy A, B & North parallel to jct in front of hangers
	DELETE Holds A & C
	RENAME Twy B at Rwy09 Thr Twy B West
	RENAME Twy B at Rwy27 Thr Twy B East
	ADD SW Loop on Twy/Hangar area to left of Dunfield
	ADD SE Loop on Twy/Hangar area above Kempsford
	DELETE Northern Parallel **ADD** Twy A
	ADD NE Loop on Twy/Hangar area to left of Whelford
	RENAME Twy A from Rwy27 Thr Twy A East

FARLEY FARM OP 06/26

Map	Rwy06/24 **DELETE** 625m x 15m **ADD** 600m x 15m
Declared Distances	Rwy06/24 **DELETE** 625x15 **ADD** 600x15
Landing Fee	**DELETE** Nil **ADD** £25
Disabled Facilities	**DELETE** All **ADD** 1 5 9 12

FANRBOROUGH AIP 01/26, 07/26

Map	Rwy06 QDM **DELETE** 062°M **ADD** 061°M
	Rwy24 QDM **DELETE** 242°M **ADD** 241°M
	ADD building on edge of Apron Bravo near TG
	Apron Bravo **RENAME** BA
	ADD fire Training area as disused Twy

FENLAND AIP 01/26

Declared Distances	**ADD** Displaced Thr Rwy18 88m
Operating Hrs	**DELETE** All
	ADD Wed-Sun 0800-1600 (Summer) + 1Hr (Winter) & by arrangement
	ADD Mon-Tue AD unlicensed

FIFE OP 07/26

Operator	**DELETE** enquiries@fifeairport.com

FISHERWICK OP 04/26

Disabled Facilities	**DELETE** All **ADD** 1 3 4 5 9

FOWLMERE OP 01/26

Location	**ADD** SAN

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.

GARSTON FARM ED 04/26

Frequencies
DELETE APP **ADD** RAD
Bristol RAD **DELETE** 125.650 **ADD** 125.655
FMC **DELETE** 125.650 **ADD** 125.655

GLASGOW AIP 05/26, 06/26

Map
Rwy05 QDM **DELETE** 048°M **ADD** 047°M
Rwy23 QDM **DELETE** 228°M **ADD** 227°M

Map
ADD Hot Spot HS1 around Hold D1
ADD Hot Spot HS2 around Hold E1
ADD Hot Spot HS3 around Hold F1
ADD HS1, HS2 & HS3 WARNING - reduced Rwy protection & mis-routing potential at Twy G jcts with Holds D1, E1 & F1. When the Rwy lead off lights for these exit links are in use the stop bar lights at these holds will be off. ACFT & vehicles travelling westbound on TwyG proceed with caution to not misroute along the lead off lights towards the Rwy

GLENDOE OP 07/26

Location
ADD SAN

GLOUCESTERSHIRE AIP 13/25, 03/26, 06/26, 09/26

Map
DELETE HS2
DELETE Hot Spot HS2: Caution - Be aware Rwy accessed beyond hold E1. If dual Rwy ops in progress and asked to line up, ensure you do not infringe Rwy27/09.
ADD Hold H2 at Jct with Twy J & Twy M
ADD Hold N2 on Twy leading to Apron from Twy H
Effective date 02/06/2026
Rwy04 **RENAME** Rwy03
Rwy22 **RENAME** Rwy21
Rwy09 **RENAME** Rwy08
Rwy27 **RENAME** Rwy26
ADD Hot spot 2 (HS2) around Hold C2, Rwy03 Thr & Hold B1
ADD HS2: Rwy incursion risk. Hold B1 & C2 are active. Holds for Rwy03/21. Do not cross without ATC clearance

Declared Distances
Rwy04 **RENAME** Rwy03
Rwy22 **RENAME** Rwy21
Rwy09 **RENAME** Rwy08
Rwy27 **RENAME** Rwy26

Warnings
Rwy09/27 **RENAME** Rwy08/26

Circuits
Rwy04 **RENAME** Rwy03
Rwy22 **RENAME** Rwy21
Rwy09 **RENAME** Rwy08
Rwy27 **RENAME** Rwy26

Helicopter Procedures
Rwy04 **RENAME** Rwy03
Rwy22 **RENAME** Rwy21
Rwy09 **RENAME** Rwy08
Rwy27 **RENAME** Rwy26

GUERNSEY AIP 02/26, 09/26

Frequencies
Jersey Control **DELETE** 120.450 **ADD** 120.455
RAD **DELETE** 118.905

Map
Rwy09 QDM **DELETE** 088°M **ADD** 087°M
Rwy27 QDM **DELETE** 268°M **ADD** 267°M
Rwy27 **DELETE** displaced Thr up to Twy A **ADD** Disused area at end of Rwy

Declared Distances
Rwy09/27 TORA & LDA **DELETE** All **ADD**

RWY	TORA	LDA
09	1540	1463
27	1583	1463

Handling
DELETE All
ADD Tel: 01481 239544 (Aiglle Flight Support)
ADD ops@aiglle.com
ADD Tel: 01481 263965 (ASG Flight Support)
ADD flightsupport@flyasg.co.uk
ADD Tel: 01481 822889 (Aurigny Air Services)
ADD ops@aurigny.com

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.

HALTON MAIP 03/26, 07/26

Location	**DELETE** N5147.33 W00044.16 **ADD** N5147.31 W00044.16
Operator	**DELETE** Ops-Airfield-Ops@mod.gov.uk **ADD** HAL-Ops-Airfield-Ops@mod.gov.uk

HALWELL OP 08/26

Operator	**DELETE** www.halwellairfield.co.uk **ADD** www.southhamsflyingclub.co.uk

HARRINGE COURT FARM OP 05/26

DELETE entry, AD close 31/05/2026

HAYWOOD FARM OP 11/12, 06/26

Name	**DELETE** Farm
Location	**ADD** SAN
Map	**ADD** Hangars on bottom left corner of AD
Disabled Facilities	**DELETE** Nil **ADD** 1 2 3 4 5 6 7 9 12
Operator	**DELETE** Tel: 07768 131349 (John Hunt)
	DELETE huntwing@hotmail.co.uk

HENSTRIDGE OP 01/25, 08/26

Circuits	**DELETE** 900ft QNH 700ft QFE **ADD** 1000ft QNH 800ft QFE
Noise Map	**ADD** enlarge the noise are around Buckhorn Weston & Kington Magna to join togethering into an oblong with rounded end above Buckhorn Weston

HINDERCLAY MEADOWS OP 06/26

Operator	**DELETE** ALL
	ADD Kevin Charlton, 34 Bridge Street, Stowmarket, Suffolk IP14 1BP
	ADD Tel: 07808 888456
	ADD kevincharlton@tiscali.co.uk

HUMBERSIDE AIP 13/25

Map	Rwy02 QDM **DELETE** 022°M **ADD** 021°M
	Rwy20 QDM **DELETE** 202°M **ADD** 201°M
	Rwy08 QDM **DELETE** 082°M **ADD** 081°M
	Rwy26 QDM **DELETE** 262°M **ADD** 261°M

HUNSDON OP 08/26

Location	**ADD** SAN

INCE OP 12/25

Location	**ADD** SAN

ISLE OF MAN AIP 02/26, 06/26, 07/26

Map	Rwy08 QDM **DELETE** 079°M **ADD** 078°M
	Rwy21 QDM **DELETE** 209°M **ADD** 208°M
	Rwy26 QDM **DELETE** 259°M **ADD** 258°M
	Rwy03 QDM **DELETE** 029°M **ADD** 028°M
Map	HS1 text **DELETE** All **ADD** Rwy incursion risk. Hold D1 very close to Area W
	ADD Hotspot 3 HS3 around Hold L1
	ADD HS3 Rwy incursion risk. Hold L1 very close to Area V
Operating Hrs	**DELETE** All **ADD** Mon-Sat 0545-1945 Sun 0600-1945 (Summer) Mon-Sat 0645-2045 Sun 0700-2045 (Winter) & by arrangement
Fuel	**DELETE** Available 0630-2030 (L) & by arr with
	DELETE Manx Petroleums Tel: 01624 821681
	ADD Avflight Ltd Tel: 01624 827928
Weather	**ADD** weather@gov.im
Operator	**ADD** Admin.Airport@gov.im

INVERNESS AIP 05/26

Map	Rwy05 QDM **DELETE** 051°M **ADD** 050°M
	Rwy23 QDM **DELETE** 231°M **ADD** 230°M

JERSEY AIP 13/25, 02/26

Frequencies	**ADD** Jersey Control 120.455 125.205
Map	Rwy08 QDM **DELETE** 083°M **ADD** 082°M
	Rwy26 QDM **DELETE** 263°M **ADD** 262°M

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.

KEMBLE AIP 04/26

Map
Rwy08 QDM **DELETE** 081°M **ADD** 080°M
Rwy26 QDM **DELETE** 261°M **ADD** 260°M

KERNAN ED 06/26

Frequencies
APP Belfast **DELETE** 133.125 **ADD** 133.130
FMC **DELETE** 133.125 **ADD** 133.130

KINGSMUIR ED 09/26

Frequencies
DELETE LARS Leuchars 126.505

KIRKNEWTON MAIP 08/26, 10/26

Map
Rwy12/30 **RENAME** Rwy11/29
Rwy05L/23R **RENAME** Rwy05C/23C
ADD Rwy05L/23R 705m x 45m Grass
Rwy12/30 **RENAME** Rwy11L/29R
ADD Rwy11R/29L 650m x 45m Grass

Declared Distances
Rwy12/30 **RENAME** Rwy11/29
TORA & LDA **DELETE** All **ADD**

RWY	TORA	LDA
05L/23R	705	705
05C/23C	617	617
05R/23L	799	799
11L/29R	698	698
11R/29L	650	650

KIRKWALL AIP 01/26, 05/26

Map
Rwy14/32 **ADD** Disused sections along Rwy edges
Rwy09/27 **DELETE** 1430m x 45m **ADD** 1424m x 45m
Rwy09 QDM **DELETE** 089°M **ADD** 088°M
Rwy27 QDM **DELETE** 269°M **ADD** 268°M

Declared Distance
Displaced Thr Rwy09 **DELETE** 159m **ADD** 154m
Rwy09 TORA **DELETE** 1430 **ADD** 1424

KITTYHAWK OP 03/26, 09/26

Map
DELETE windsock near Rwy28 Thr
ADD Twy G from Twy B near small black building to join Rwy16L/34R
Rwy16R/34L **DELETE** 586x15 **ADD** 586x12
MOVE AD Perimeter to not include the solar farm
ADD heli pad in middle of Rwy16L/34R & Rwy16R/34L
ADD heli pad x 2 on grass area opposite helipads on Rwys.
ADD Twy from helipads to Twy B

Warnings
DELETE Power lines Rwy16 APP. ADD Power lines Rwy16 & Rwy28 APP

Circuits
ADD Downwind joins only

Fuel
DELETE Nil **ADD** AVGAS

Disabled Facilities
DELETE Nil **ADD** 4 7

Restaurant
DELETE Nill **ADD** Light refreshments available

Operator
DELETE Kittyhawk Farm
DELETE info@kittyhawk.farm **ADD** ops@kittyhawk.uk
DELETE www.kittyhawk.farm./ppr/ **ADD** www.kittyhawk.uk/ppr (PPR)

Weather
ADD www.kittyhawk.uk/weather/

LAINDON OP 06/26

DELETE entry, AD closed July 2026

LAMBLEY OP 04/26

Circuits
DELETE LH **ADD** 08 RH 26 LH

LANDS END AIP 02/26, ED 09/26

Frequencies
DELETE Fire 121.600

RMZ Map
DELETE R252 **ADD** R251

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.

LASHENDEN AIP 10/26

Map **DELETE** DME HLS 115.95

LEEDS EAST AIP 13/25, 01/26

Map **ADD** Hangar on Apron next to yellow C
ADD Fuels on apron next to yellow C
Rwy06 QDM **DELETE** 055°M **ADD** 054°M
Rwy24 QDM **DELETE** 235°M **ADD** 234°M

LEEMING MAIP 03/26

Map Rwy16/34 **DELETE** 2292m x 40m **ADD** 2292m x 46m

LEE ON SOLENT AIP 08/26, OP 08/26

Frequencies **DELETE** Fleetlands
Map **ADD** Helipad on grass above Hold A1
Operator **DELETE** All
ADD EGHF LTD, Control Tower, Solent Airport Daedalus, Lee-on-the-Solent, Hampshire, PO13 9FZ
ADD Tel: 01329 551060
ADD Ops@solentairport.com
ADD www.solentairport.com
Circuit map **DELETE** Fleetlands ATZ **ADD** Lee on Solent ATZ

LEICESTER AIP 13/25, OP 06/26

Location **ADD** SAN
Map **DELETE** NDB LE 383.5
ADD HS1 on Twy opposite control tower
ADD Hot Spot HS1: Caution: The Twy adjacent to the signal square is encroached upon by a fence, reducing the strip width to 10.35m

LERWICK AIP 05/26

Elevation **DELETE** 45ft **ADD** 46ft
Map Rwy01/19 **DELETE** 810m x 18m **ADD** 768m x 18m
Declared Distances Displaced Thr Rwy01 **DELETE** 29m **ADD** 32m
Rwy01/19 TORA & LDA **DELETE** All **ADD**

RWY	TORA	LDA
01	768	736
19	736	768

LEUCHARS MAIP 09/26

Frequencies **DELETE** ZONE/LARS 126.505
DELETE APP 126.505
DELETE GND 122.100
DELETE PAR/DIR 123.300
Remarks **DELETE** APP **ADD** TWR

LITTLE RISSINGTON MAIP 08/26

Map Rwy04/22 **DELETE** 1311m 45m **ADD** 1490m x 45m
Declared Distances Rwy04/22 TORA & LDA **DELETE** All **ADD**

RWY	TORA	LDA
04/22	1490	1400

LIVERPOOL AIP 03/26

Handling **DELETE** ops@liverpoolhandling.co.uk **ADD** ops@ravenair.co.uk.
DELETE www.liverpoolhandling.co.uk

LONDON GATWICK AIP 05/26, 08/26

Map Rwy08L QDM **DELETE** 077°M **ADD** 076°M
Rwy08R QDM **DELETE** 077°M **ADD** 076°M
Rwy26R QDM **DELETE** 257°M **ADD** 256°M
Rwy26L QDM **DELETE** 257°M **ADD** 256°M
ADD Twy E from Rwy08L/26R (opposite disused Twy) to TwyJ
ADD Hot Spot 2 Around Twy E and jct with Twy J
ADD HS2 Potential routing error -Twy E is only available for ACFT vacating Rwy26L via ER RET. Twy E is one-way for N bound traffic only
HS2 **RENAME** HS3
HS3 **RENAME** HS4

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.

LONDON HEATHROW AIP 13/25

Map
Rwy09L QDM **DELETE** 089°M **ADD** 088°M
Rwy27R QDM **DELETE** 269°M **ADD** 268°M
Rwy09R QDM **DELETE** 089°M **ADD** 088°M
Rwy27L QDM **DELETE** 269°M **ADD** 268°M

LONDON LUTON AIP 01/26, 03/26, 10/26

Map
Rwy07 QDM **DELETE** 074°M **ADD** 073°M
Rwy25 QDM **DELETE** 254°M **ADD** 253°M
Hold A1 **RENAME** Hold G1
Hold A4 **RENAME** Hold A6
Hold A3 **RENAME** Hold A5
Hold A2 **RENAME** Hold A4
ADD Twy G on Twy with Hold G1
ADD Twy A from current Twy A to Rwy25 Thr
ADD Holds A3, A2 & A1 on new Twy A
ADD Hot Spot 2 (HS2) around Twy D & Twy F jct
ADD HS2 Misroute hotspot

LONGSIDE OP 02/26, 06/26

Operator
DELETE operations@buchanaeroclub.co.uk
ADD www.buchanaeroclub.co.uk

LONDONDERRY AIP 01/26, 02/26

Frequencies
APP **DELETE** 123.625 **ADD** 123.630

Map
Rwy08 QDM **DELETE** 076°M **ADD** 075°M
Rwy26 QDM **DELETE** 256°M **ADD** 255°M

LYDD AIP 01/26

Map
Rwy03 QDM **DELETE** 032°M **ADD** 031°M
Rwy21 QDM **DELETE** 212°M **ADD** 211°M

MANCHESTER AIP 02/26, 04/26, 05/26, 07/26, 08/26

Map
DELETE Hold K5
ADD Twy E
ADD Holds E1, E2, E3 & E4 on Twy E
ADD Link1
ADD Hot Spot HS4 around Holds P4, D2, E2, C2, P3
ADD HS4 Caution - Complex jcts in close proximity. Pilots to be aware of misrouting potential
ADD Holds D9 & D10 on Twy D

EGR323 North West Transit Corridor
ADD (NWTC)

MERRYFIELD MAIP 04/26

Declared Distances
TORA & LDA **DELETE** All **ADD**

RWY	TORA	LDA
08/26	1770	1770
02/20	1237	1237
16	1160	1144
34	1160	1037

MONEWEDN OP 08/26

Frequencies
DELETE Non-Radio **ADD** Monewden
DELETE Safetycom 135.480 **ADD** A/G 119.305

NETHER HUNTLYWOOD OP 01/25

DELETE entry, AD closed 31/12/2025

NEWCASTLE AIP 02/26

Map
ADD Disused Twy from Twy D between Holds D6 & D& to Rwy

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.

NEWQUAY AIP 13/25, 10/26

Frequencies
DELETE FIRE 121.600

Map
Rwy12 QDM **DELETE** 122°M **ADD** 121°M
Rwy30 QDM **DELETE** 302°M **ADD** 301°M
ADD Hold GA on GA Twy at jct with Twy A
DELETE Hold A4
DELETE Hold B1
Hold B2 **RENAME** B1
Hold C3 **RENAME** C2
DELETE Hold C1
Hold C2 **RENAME** C1
DELETE Hold E3
DELETE Hold E1
Hold E2 **RENAME** E1

NEWTONARDS AIP 06/26, 09/26

Frequencies
APP Belfast City **DELETE** 130.850 **ADD** 130.855
FMC **DELETE** 130.850 **ADD** 130.855

Map
Rwy03/21 **DELETE** 791m x 18m **ADD** 790m x 18m
Rwy08/26 **DELETE** 566m x 18m **ADD** 564m x 18m
ADD Disused areas both sides of Rwy21 from Thr to Rwy15/33 intersection
ADD Disused areas both sides of Rwy21 from Rwy15/33 intersection to Rwy08/26 intersection
ADD Disused area along the side (Rwy03) of Rwy08 to Rwy03/21 intersection
ADD Disused area along side (Rwy03) of Rwy08 from Rwy03/21 intersection to Rwy15/33 intersection
ADD Disused areas both sides Rwy03 to Rwy08/26 intersection
DELETE Heli training area
MOVE Heli East towards Rwy03/21 & Rwy15/33 intersection
ADD Fire Training Groung on building above Rwy08 Thr
ADD Twy G1 on Twy from Main apron to Rwy26 Thr
ADD Twy A on Twy from Main apron to Rwy21 Thr
ADD TwyB on Twy from Rwy03 Thr to Rwy08 Thr
ADD Twy C from Rwy03Thr to Twy B intersection
ADD Hold 03 on Twy C near jct with Rwy03 Thr
ADD Hold 03 on Twy B after jct with Twy C, before Rwy03 Thr
ADD Hold 08 on Twy B before Rwy08 Thr
ADD Hold 08 on Twy after Rwy08 Thr towards Fire Training Ground

Declared Distances
TORA & LDA **DELETE** All **ADD**

RWY	TORA	LDA
03	715	790
21	790	715
15	563	530
33	554	563
08	564	
26		564

Displaced Thr Rwy21 **DELETE** 74m **ADD** 75m
Displaced Thr Rwy15 **DELETE** 85m **ADD** 86m
Displaced Thr Rwy33 **DELETE** 75m **ADD** 77m
ADD Displaced Thr Rwy08 128m
ADD Starter Extension Rwy03 152mx12m

NORTH RONALDSWAY AIP 04/26

Remarks
DELETE No flights permitted within 15 mins of the Loganair scheduled service.

Warnings
ADD During periods of prolonged rainfall the grass Rwy can become very soft especially during the winter months. Rwy10/28 & Rwy03/21 Graded hardcore runway is generally unsuitable for light ACFT with low ground/propeller clearance due to rough surface and as a result it would be advisable to carry out any power checks on the tarmac apron before dep.

Operator
DELETE developmentsandinfrastructure@orkney.gov.uk **ADD** airfields@orkney.gov.uk
DELETE www.orkney.gov.uk
ADD www.orkney.gov.uk/our-services/transport/internal-air-services/airfields

NORTH WEALD OP 01/25

Operator
DELETE Tel: 01992 524740 (ATC) **ADD** Tel: 01992 564303 (ATC)

NORTHOLT MAIP 09/26

Frequencies
TWR **DELETE** 120.675 **ADD** 120.680
GND **DELETE** 121.575 **ADD** 121.580

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.

NORWICH AIP 13/25, 05/26

Elevation	**DELETE** 117ft **ADD** 118ft
Handling	**ADD** www.saxonair.com

OAKLANDS OP 06/26

Operator	**DELETE** All **ADD** Ollie Stobbo, Oaklands Farm, Stonesfield, Witney, Oxon, OX29 8DW **ADD** Tel: 07939 576462 **ADD** olliestobo73@gmail.com

OAKLANDS FARM (East Tytherley) OP 06/26

Map	Rwy18/36 **RENAME** Rwy01/19
Declared Distances	Rwy18/36 **RENAME** Rwy01/19
Warnings	Rwy36 **RENAME** Rwy01
Circuits	**DELETE** All **ADD** Nil

OBAN AIP 04/26

Map	**ADD** Apron & hangar at the end of Twy A **ADD** name hangar SAR hangar **MOVE** Hold A to jct of Twy A and new apron

ODIHAM MAIP 08/26

Frequencies	**ADD** ALL 134.035

OLD BUCKENHAM AIP 13/25, 06/26

Elevation	**DELETE** 194ft **ADD** 195ft
Frequencies	**DELETE** Old
Remarks	**ADD** Rwy07/25 & Rwy07L/25R grass are considered to be the same Rwy for ACFT movements/spacing due to their proximity”
Warnings	**DELETE** & Watton 5nm NNW
Circuit & Noise	**DELETE** No ATZ entry without positive RT contact (non-radio ACFT prohibited). Permission must be obtained from Buckenham A/G to enter the ATZ. If not possible, ACFT must remain clear of ATZ and wait permission to enter zone. **ADD** No ATZ entry without positive R/T contact and liaison with Buckenham Radio

OLD WARDEN ED 05/26

PPR	**DELETE** PPR Tel **ADD** PPR Web
Remarks	**DELETE** On non-event days please book in at fuel bay. Landing fee in honesty box. **ADD** On non-event days book in at the wooden hut behind the fuel kiosk (marked with a yellow C). Then pay landing fees in the Visitor Centre Gift Shop). The honesty box adjacent to the movements log should only be used for out of hrs movements

OXENHOPE OP 08/26

DELETE entry, AD closed

OTHERTON OP 11/25

Operator	**DELETE** ajscrowley@gmail.com **ADD** rjb@burgessproperty.onmicrosoft.com

OXFORD AIP 03/26, 05/26

Map	**DELETE** Helipads H10 & H11 **ADD** Hold F2 on Twy F above jct with Apron
Apron map	**DELETE** Helipads H10 & H11 **ADD** Hold F2 on Twy F above jct with Apron

PAPA WESTRAY AIP 04/26

Remarks	**DELETE** No flights permitted within 15 mins of the Loganair scheduled service.
Warnings	**ADD** During periods of prolonged rainfall the grass Rwy can become very soft especially during the winter months. Rwy03/21 Graded hardcore runway is generally unsuitable for light ACFT with low ground/propeller clearance due to rough surface and as a result it would be advisable to carry out any power checks on the tarmac apron before dep.
Operator	**DELETE** developmentsandinfrastructure@orkney.gov.uk **ADD** airfields@orkney.gov.uk **DELETE** www.orkney.gov.uk **ADD** www.orkney.gov.uk/our-services/transport/internal-air-services/airfields

PETERBOROUGH CONINGTON OP 06/26, 07/26

Frequencies	A/G **DELETE** 129.725 **ADD** 129.730

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC’s should all be checked prior to flight.

PORTMOAK ED 09/26
Frequencies **DELETE** LARS Leuchars 126.505

PREDANNACK OP 07/26
Operator **ADD** Neil.Brighouse144@mod.gov.uk

PRESTWICK AIP 08/26
Frequencies APP **DELETE** 129.450 **ADD** 129.455
DELETE APP **ADD** APP/RAD
TWR **DELETE** 118.150 **ADD** 118.155
DELETE RAD 129.450

REDHILL AIP 13/25, 06/26
Location **ADD** SAN
Map **DELETE** Central hover square

REFTFORD/GAMSTON OP 07/26
Operator **DELETE** ops@retfordairport.co.uk **ADD** operations@retfordairport.co.uk

RIPPLE OP 02/26
Operator **DELETE** sc.solley@solleyicecream.co.uk **ADD** sc.solley@solleys.co.uk

RUFFORTH EAST OP 08/26
Location **ADD** SAN
Circuit map New map

RUFFORTH WEST OP 06/26
Declared Distances Rwy05/23 **DELETE** All **ADD**

RWY	SURFACE	TORA	LDA	U/L	LIGHTING
05/23	Asphalt Asphalt/Grass			358x46 (Winter) 632x46 (summer)	Nil

ST ATHAN AIP 23/25
Map Rwy07 QDM **DELETE** 074°M **ADD** 073°M
Rwy25 QDM **DELETE** 255°M **ADD** 253°M

SACKVILLE FARM OP 06/26
Operator **DELETE** www.sackvilleflyingclub.co.uk **ADD** www.sackvilleairfield.co.uk

SALCOMBE ED 04/26
Frequencies LARS Plymouth Military **DELETE** 121.255 **ADD** 124.255

SANDAY AIP 04/26
Map ACFT Parking **RENAME** GA Apron
Remarks **DELETE** No flights permitted within 15 mins of the Loganair scheduled service.
Warnings **ADD** During periods of prolonged rainfall the grass Rwy can become very soft especially during the winter months. Rwy02/20 Graded hardcore runway is generally unsuitable for light ACFT with low ground/propeller clearance due to rough surface and as a result it would be advisable to carry out any power checks on the tarmac apron before dep.
Operator **DELETE** developmentsandinfrastructure@orkney.gov.uk **ADD** airfields@orkney.gov.uk
DELETE www.orkney.gov.uk
ADD www.orkney.gov.uk/our-services/transport/internal-air-services/airfields

SANDY OP 08/26
Map **ADD** Rwy21 400m x 18m Unlicensed
Declared Distances **ADD**

RWY	SURFACE	TORA	LDA	U/L	LIGHTING
21	Grass			400x18	Nil

ADD Rwy21 Take off only
ADD Rwy03 not operational

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.

SANDTOFT AIP 13/25, 03/26

Map
Rwy05/23 **DELETE** 880m x 18m **ADD** 881m x 18m
Rwy05/23 **RENAME** Rwy04/22
Rwy04/22 **DELETE** 880m x 18m **ADD** 881m x 18m
Rwy04/22 **ADD** Unlicensed

Declared Distances
Rwy05/23 **RENAME** Rwy04/22
Displaced Thr Rwy23 **RENAME** Rwy22
Displaced Thr Rwy22 **DELETE** 170m **ADD** 189m

RWY	SURFACE	TORA	LDA	U/L	LIGHTING
04/22	Asphalt			880x18	Thr Rwy APAPI 4° LHS

Remarks
DELETE Rwy04 is not licensed for night use. AD only licensed on Saturdays

Warning
Rwy23 **RENAME** Rwy22

Circuits
05 23 **RENAME** 04 22

SCILLY ISLE AIP 02/26, 07/26

Map
Rwy09 QDM **DELETE** 089°M **ADD** 088°M
Rwy14 QDM **DELETE** 141°M **ADD** 140°M
Rwy27 QDM **DELETE** 269°M **ADD** 268°M
Rwy32 QDM **DELETE** 321°M **ADD** 320°M
ADD Twy B on disused Twy from Rwy27 towards STM
ADD Hold B on Twy B
ADD Apron at the end of Twy B after Hold B

RMZ Map
DELETE R252 **ADD** R251

SEETHING OP 05/26

Map
DELETE disused area between Rwy24 Thr and Twy to Hold C
ADD Twy C on the area between Rwy24 Thr and Twy to Hold C

SHERBURN IN ELMET AIP 01/26

Map
Rwy06 QDM **DELETE** 059°M **ADD** 058°M
Rwy24 QDM **DELETE** 239°M **ADD** 238°M
Rwy19 QDM **DELETE** 188°M **ADD** 187°M
Rwy01 QDM **DELETE** 008°M **ADD** 007°M
Rwy10 Grass QDM **DELETE** 103°M **ADD** 102°M
Rwy10 QDM **DELETE** 104°M **ADD** 102°M
Rwy28 QDM Grass **DELETE** 283°M **ADD** 282°M
Rwy28 QDM **DELETE** 284°M **ADD** 282°M

SHOREHAM AIP 13/25, 04/26

Map
Rwy02 QDM **DELETE** 021°M **ADD** 020°M
Rwy20 QDM **DELETE** 201°M **ADD** 200°M
Rwy02 Grass QDM **DELETE** 021°M **ADD** 020°M
Rwy20 Grass QDM **DELETE** 201°M **ADD** 200°M
Rwy06 QDM **DELETE** 063°M **ADD** 062°M
Rwt24 QDM **DELETE** 243°M **ADD** 242°M
Rwy02/20 **DELETE** 1032m x 18m **ADD** 1031m x 18m
Rwy02G/20G **DELETE** 603m x 23m **ADD** 602m x 23m
ADD Twy J from Twy F/TwyM jct to Twy A
ADD Hold J1 on Twy J opposite Rwy06 Thr
ADD Hold J2 on Twy before Jct with Twy M & Twy F
ADD Displaced Thr Rwy06
DELETE Grass Twy opposite H2 linking Rwy06/24 to Twy A

Declared Distances
ADD Displaced Thr Rwy06 59m
ADD Displaced Thr Rwy24 84m

SITTLES FARM OP 05/26

Map
DELETE windsock by hedge
ADD windsock under 5 on Rwy09/27

SLEAP OP 02/26

Operator
DELETE info@shropshireaeroclub.com **ADD** info@shropshireaeroclub.co.uk.

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.

SOUTHAMPTON AIP 01/26, 08/26

Map **ADD** Hold A2 South just above Hold A1 after Twy corner
Hold A2 **RENAME** Hold A2 North
ADD HEMS helipad on side of Twy between Hold A1 & Hold A2 South

CTR/CTA Airspace **DELETE** Bishops Waltham Flying Area active during CTR hrs between SR-SS. SFC-1500ft amsl. Pilots operating under VFR or Special VFR clearance are advised to avoid this area. Traffic information will not be passed by ATC.
ADD Bishops Waltham Flying Area (BWFA) exists solely for the use of approved operators flying to and from Roughay Farm or Lower Upham AD. The BWFA is active sunrise to sunset and approved ACFT operate within the confines of the BWFA up to 1500ft, without communication with ATC at Southampton.

SOUTHEND AIP 05/26

Elevation **DELETE** 55ft **ADD** 58ft

STORNOWAY OP 01/26

Operating Hrs **DELETE** All **ADD** Available with PPR

STRATHAVEN ED 07/26

Frequencies ATIS **DELETE** 121.125 **ADD** 121.130

STRONSAY AIP 04/26

Remarks **DELETE** No flights permitted within 15 mins of the Loganair scheduled service.

Warnings **ADD** During periods of prolonged rainfall the grass Rwy can become very soft especially during the winter months. Rwy02/20 Graded hardcore runway is generally unsuitable for light ACFT with low ground/propeller clearance due to rough surface and as a result it would be advisable to carry out any power checks on the tarmac apron before dep.

Operator **DELETE** developmentsandinfrastructure@orkney.gov.uk **ADD** airfields@orkney.gov.uk
DELETE www.orkney.gov.uk
ADD www.orkney.gov.uk/our-services/transport/internal-air-services/airfields

SUMBURGH AIP 05/26

Elevation **DELETE** 21ft **ADD** 24ft

Map Rwy09 QDM **DELETE** 084°M **ADD** 083°M
Rwy15 QDM **DELETE** 144°M **ADD** 143°M
Rwy27 QDM **DELETE** 264°M **ADD** 263°M
Rwy33 QDM **DELETE** 324°M **ADD** 323°M
Rwy06H QDM **DELETE** 054°M **ADD** 053°M
Rwy24H QDM **DELETE** 234°M **ADD** 233°M

SWANSEA AIP 13/25, 06/26, 09/26

Map Rwy10/28 **ADD** Unlicensed

Declared Distances Rwy10/28 **DELETE** TORA & LDA
ADD

RWY	SURFACE	TORA	LDA	U/L	LIGHTING
10/28	Asphalt			857x18	Nil

Operating Hrs **ADD** AD Licensed Fri-Sun only 0800-1600 (Summer) + 1Hr (Winter)

Fuel **ADD** JET A1, UL 91

TATENHILL OP 05/26

Map **MOVE** C to building next to n of Western Apron

Restaurants **DELETE** Light snack in the café **ADD** Café 26 Tel: 01283 575283

Operator **ADD** www.tatenhill-aviation.co.uk

THRUXTON AIP 03/26

Map **ADD** Rwy07/25 Grass 415m x 25m Unlicensed parallel with Twy from Rwy25 Thr
ADD hangars on left side on main apron
DELETE FW ACFT parking **ADD** hangars along main apron
Heli North **RENAME** Heli Alpha

TIBENHAM PRIORY FARM OP 12/25

Frequency A/G **DELETE** 118.925 **ADD** 118.930

TIFFENDEN OP 07/26

Map **DELETE** Rwy06/24

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.

TIREE AIP 13/25

Map	Rwy11 QDM **DELETE** 110°M **ADD** 109°M Rwy29 QDM **DELETE** 290°M **ADD** 289°M Rwy05 QDM **DELETE** 050°M **ADD** 049°M Rwy23 QDM **DELETE** 230°M **ADD** 229°M

UPAVON MAIP 05/26

Operator	**DELETE** Tel: 01980 615381 (PPR) **ADD** Tel: 0331 145 7981

WADDINGTON MAIP 13/25

Map	Rwy02/20 **DELETE** 2940m x 60m **ADD** 2939m x 58m

WADSWICK ED 04/26, OP 08/26

Frequencies	**DELETE** APP **ADD** RAD Bristol RAD **DELETE** 125.650 **ADD** 125.655 FMC **DELETE** 125.650 **ADD** 125.655
Map	Rwy10/28 **DELETE** 600m x 11m **ADD** 600m x 12m Rwy10 Displaced Thr **MOVE** to opposite windsock
Declared Distances	**ADD** Displaced Thr Rwy10 100m

WARTON AIP 08/26

Elevation	**DELETE** 54ft **ADD** 55ft

WELSHPOOL OP 07/26

Operator	**DELETE** midwalesairport@btconnect.com **ADD** midwalesairport@gmail.com
Circuit map	New map

WESTRAY AIP 04/26

Remarks	**DELETE** No flights permitted within 15 mins of the Loganair scheduled service.
Warnings	**ADD** During periods of prolonged rainfall the grass Rwy can become very soft especially during the winter months. Rwy09/27 Graded hardcore runway is generally unsuitable for light ACFT with low ground/propeller clearance due to rough surface and as a result it would be advisable to carry out any power checks on the tarmac apron before dep.
Operator	**DELETE** developmentsandinfrastructure@orkney.gov.uk **ADD** airfields@orkney.gov.uk **DELETE** www.orkney.gov.uk **ADD** www.orkney.gov.uk/our-services/transport/internal-air-services/airfields

WEST WALES AIP 06/26, 10/26

Frequencies	**DELETE** APP/RAD 127.090 **DELETE** A/G 122.155
Map	**ADD** UAS Zone from AD boundary parallel with Rwy 22 to road Main apron **RENAME** Alpha apron **ADD** fuel on Alpha apron
Operator	**DELETE** enquiries@flyuav.co.uk **ADD** wwaops@flyuav.co.uk

WHITE OX MEAD ED 04/26

Frequencies	FMC **DELETE** 125.650 **ADD** 125.655

WHITERASHES OP 07/26

Location	**ADD** SAN

WHITE WALTHAM AIP 08/26

Declared Distances	**ADD** Lighting available Oct-Jan for night flying training only Rwy25R, Rwy11/29

WICK AIP 03/26

Map	Rwy13 QDM **DELETE** 128°M **ADD** 127°M Rwy31 QDM **DELETE** 308°M **ADD** 307°M

WITTERING MAIP 01/26

Elevation	**DELETE** 274ft **ADD** 273ft
Map	Rwy07/25 **DELETE** 2757m x 56m **ADD** 2758m x 56m
Declared Distances	Rwy07/25 TORA & LDA **DELETE** All **ADD**

RWY	TORA	LDA
07	2755	2719
25	2755	2755

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.

WOLVERHAMPTON AIP 13/25, 08/26

Map	**DELETE** NDB WBA 356
	DELETE DME WOL 108.60
	DELETE Rwy10/28 Grass
	DELETE Grass Twys and Hold C & D
Declared Distances	**DELETE** Rwy10/28 Grass

WOODVALE OP 07/26, MAIP 09/26

Operator	**ADD** Mark.Barrett760@mod.gov.uk
	DELETE Mark.Barrett760@mod.gov.uk **ADD** WDV-Aerodromeoperations@mod.gov.uk
	DELETE Fax: 01704 834805 (Flight Plans)

WYCOMBE AIR PARK AIP 06/26

Location	**ADD** SAN
Map	**DELETE** Holds B2, B3, C & D

YEOVIL AIP 04/26

Map	**DELETE** Light ACFT parking area

Private Airfields

BROMSGROVE OP 02/26

Declared Distances	**DELETE** Rwy07/25 **ADD** Rwy05/23

HAWKSVIEW OP 05/26

Circuits	**DELETE** EGCC clearance required for Rwy26 wide circuit when landing

All amendments to the UK VFR Flight Guide are issued as a guide to the airfield and are not intended to be taken as an authoritative document. In the interests of good airmanship the AIP, Pre-flight information bulletins, NOTAMS and AIC's should all be checked prior to flight.